


# Trojan Y Chromosome Eradication of Invasive Fish: Sex-specific DNA Markers for Tilapia


John Teem, Florida Department of Agriculture  
and Consumer Services  
Division of Aquaculture

# XY Sex-Determination




Males/Females  
Ratio 1:1

# Females with Two Y chromosomes Produce Only Male Progeny, Half of Which are Myy




Mxy



Fxx


	X	Y
X	XX	XY
X	XX	XY




Fyy


	X	Y
Y	XY	YY
Y	XY	YY

# Myy males are viable and produce only male offspring


♂  **Mxy**

♀  **Fxx**

	X	Y
X	XX	XY
X	XX	XY

♀  **Fyy**


	X	Y
Y	XY	YY
Y	XY	YY


♂  **Myy**

	Y	Y
X	XY	XY
X	XY	XY

Males/Females  
Ratio 1:0

# Four different matings are possible, leading to increased male production


♂  **Mxy**

♀  **Fxx**

	X	Y
X	XX	XY
X	XX	XY

♂  **Myy**

	Y	Y
X	XY	XY
X	XY	XY

♀  **Fyy**


	X	Y
Y	XY	YY
Y	XY	YY

	Y	Y
Y	YY	YY
Y	YY	YY

Males/Females  
Ratio 7:1

Male/Female ratio will  
increase over time if  
Fyy added.

**The addition of a Trojan Y female (Fyy) to a target population will cause females (Fxx) to go to extinction over time.**




**The carrying capacity of the system becomes occupied by Myy fish (males with two Y chromosomes).**

The production of YY fish requires selective breeding and the use of hormone-induced sex reversal techniques.

YY genotypes are verified by test crosses and evaluation of the sex distribution in progeny.

Sex-specific DNA markers can greatly reduce the time required to generate YY fish by allowing YY genotypes to be detected by DNA analysis (instead of test crosses).

For some fish, sex-specific DNA markers have been identified by using the RAPD PCR method.




# RAPD PCR

Create a DNA pool from only females and another from only males.

Test each pool with PCR using a collection of short DNA primers that will amplify sequences at different locations in the genome.

For each primer, compare female-specific DNA amplified products with male-specific amplified products using gel electrophoresis.

Find a primer that gives a band in one DNA pool, but not the other.





Three invasive fish species were screened for sex-specific DNA markers using RAPD PCR.

Nile Tilapia




African Jewelfish



Silver Carp



# A Male-specific DNA Marker for Common Carp



(Chen et al., 2009)

Could this same DNA marker be used to identify males in silver carp, tilapia or African jewelfish?


# A Male-specific Carp Marker Can be Used to Design 10-mer RAPD PCR Primers




<u>GCACGCAATCCACCCATTAGAAC</u>	<u>GGCCTTCATTTCTGAACAACATTATG</u>
GCACGCAATCCACCCATTAGAAC	GGCCTTCATTCTGAACAACATTATG
GCACGCAATCCACCCATTAGAAC	GGCCTTCATTTCTGAACAACATTATG
GCACGCAATCCACCCATTAGAAC	GGCCTTCATTTCTGAACAACATTATG
GCACGCAATCCACCCATTAGAAC	GGCCTTCATTTCTGAACAACATTATG
GCACGCAATCCACCCATTAGAAC	GGCCTTCATTTCTGAACAACATTATG
GCACGCAATCCACCCATTAGAAC	GGCCTTCATTTCTGAACAACATTATG
GCACGCAATCCACCCATTAGAAC	GGCCTTCATTTCTGAACAACATTATG
GCACGCAATCCACCCATTAGAAC	GGCCTTCATTTCTGAACAACATTATG
GCACGCAATCCACCCATTAGAAC	GGCCTTCATTTCTGAACAACATTATG
GCACGCAATCCACCCATTAGAAC	GGCCTTCATTTCTGAACAACATTATG
GCACGCAATCCACCCATTAGAAC	GGCCTTCATTTCTGAACAACATTATG
GCACGCAATCCACCCATTAGAAC	GGCCTTCATTTCTGAACAACATTATG
GCACGCAATCCACCCATTAGAAC	GGCCTTCATTTCTGAACAACATTATG
GCACGCAATCCACCCATTAGAAC	GGCCTTCATTTCTGAACAACATTATG
GCACGCAATCCACCCATTAGAAC	GGCCTTCATTTCTGAACAACATTATG



# A Male-specific Carp Marker Can be Used to Design 10-mer RAPD PCR Primers



# PCR Screening for Sex-specific DNA Markers in African Jewelfish




Odd # lanes = male-specific African jewelfish DNA pool 1 (M2-M9)

Even # lanes = female-specific African jewelfish DNA pool 1 (F2-F9)

DNA fragments from PCR reactions using RAPD primers MCF1-MCF11 are separated on a 1.5% agarose gel.



# PCR Screening for Sex-specific DNA Markers in African Jewelfish




Odd # lanes = male-specific African jewelfish DNA pool 1 (M2-M9)

Even # lanes = female-specific African jewelfish DNA pool 1 (F2-F9)

DNA fragments from PCR reactions using RAPD primers MCF13-MCF17 and RAN1-10 are separated on a 1.5% agarose gel.

For some primers used, no DNA fragments were produced in the PCR reactions (lanes 1,2,9,10,23-26).

# PCR Screening for Sex-specific DNA Markers in African Jewelfish



Lanes 1, 3, 5 male-specific African jewelfish DNA pool 1 (M2-M9)  
Lanes 2, 4, 6 female-specific African jewelfish DNA pool 1 (F2-F9)  
Lanes 7, 9, 11 male-specific African jewelfish DNA pool 2 (M10-M15)  
Lanes 8, 10, 12 female-specific African jewelfish DNA pool 2 (F10-F15)  
Samples separated on 6% acrylamide gel stained with ethidium bromide.  
The white arrow indicates a possible male-specific DNA band for MCF14.

# Conclusions

**Screening for sex-specific DNA markers has been done with African Jewelfish, Nile Tilapia and Silver Carp.**

**African Jewelfish have been the first priority because broodstock are being developed for this species by USGS.**

**No sex-specific markers have been identified as yet for any of the three species.**